

YOUR FRIENDS AND FAMILY CAN NOW JOIN IN THE SAVINGS BY REGISTERING ON
WWW.ROTUNDATECHTOOLS.COM!



ROTUNDA

RTTP 2020 FALL PROMOTION • PRICES GOOD THRU 6/30/2021

Don't see it? Give us a call @ 1-800-ROTUNDA (768-8632) option 4

Same Day, Free Shipping if ordered by 3:00pm EST Monday through Friday



Ford Tools



\$799.00

**KTIFRP0003
7 Drawer Rolling Cabinet**

- Body & drawer made 1.0 mm thick steel frame
- With heavy duty ball bearing slides
- Rolling cabinet made of single sheet without welding. It provide very strong & sturdy frame
- Overall Size: W26.4 x D18.1 x H32 inch; Drawers: 5x W22.7 x D15 x H3 inch (Load Capacity 55Lbs); Drawers: 2x W22.7 x D15 x H6.1 inch (Load Capacity 66Lbs); F Type Aluminum Drawer Handle; Body: 0.04, Drawer: 0.04 inch, Top & Bottom: 0.05 inch; 16" Auto Return Ball Bearing Slide with side Tray; 5x2 PP Casters load rated 500lbs each ea (2 fixed & 2 swivel with toe lock)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$229.99

**KTIDTW12-0004
1/2" Drive 36 Teeth Digital Torque Wrench**

- 29.5-147.5 Ft-lbs (40-200 Nm), Accuracy: 1% or 2% (CW), Length: 20.87" (530mm) with top cover bright LED: 12 LEDS (4 Red+ 8 Green) unit selection: N.m/ ft.lb/ in.lb/ kg.cm.
- Body made of high grade CrV steel, gear made of CR-MO steel
- Fully polished handle with aluminum grip in blue

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$39.95



**KTIFWLZF695
Aluminum Housing 200-750LM Flashlight**

- High performance & long lasting LED
- Multifunction: High 750LM-Middle 350LM-Low 200LM-Strobe 750LM-SOS 750LM-OFF
- Waterproof: IP54
- Beam distance: 82.021 fts
- Runtime: 1-1/2 hrs High/3 hrs Middle/4 hrs Low/4-6 hrs Strobe/6-8 hrs SOS

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$110.00

**KTIFHT0903
3-Piece 72 Tooth Standard Ratchet Set**

- Sizes: 1/4", 3/8" & 1/2" 72 teeth, gear to gear type, chrome plated, C clip type cover, reversible, quick release.
- Heavy duty ratchet handles for industrial use
- Body made of high grade CrV steel, gear made of CR-MO steel, fully polished handle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Product prices and availability are subject to change without notice.



Ford Tools

FMCFHT0105IN

Flexible Geared Wrench 7-Piece Set - Fractional

- 72-teeth gear provides ratcheting speed
- Flexible head for various jobs
- Mirror smooth polished steel handles wipe clean fast
- Smooth steel edges makes hard to reach areas a breeze
- Lifetime warranty does not cover abuse

\$29.99



GW GEARWRENCH

\$95.99



KDT82204C

6-Piece Mixed Dual Material Pliers Set

- High leverage joint design provides up to 35% greater cutting power
- Aggressive angled teeth for increased grip
- Cross hatched jaw tooth design for gripping and pulling
- 20° head angle for flush cutting
- Nail and wire holder groove on jaws



GW GEARWRENCH

\$74.99



KDT82203

4-Piece Mixed Pliers Set

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw tooth design for gripping and pulling
- Reaming edges for deburring pipes

DEWALT



\$74.99



DWTDWMT19262

7-Piece Stubby SAE Ratcheting Wrench Set - SAE

- 72 teeth providing 5 degree arc swing
- Short panel design gives more access to tighter spaces
- Full Polish Chrome Stamped hashmark pattern on wrench handle provides added grip points
- Sizes stamped twice on both sides of wrench handle for easier size identification
- 15 degree offset open end allows an increased range of arc swing in tight spaces
- Direct Torque technology helps prevent rounding of fasteners

TITAN



\$16.99

TIT11317

1/4" Drive Swivel Head Micro Bit Driver

- Reversible Anodized Aluminum Handle
- 90-Tooth
- Magnetic Bit Retention
- Ideal for use in confined areas
- Constructed of aluminum handle and chrome vanadium alloy head
- Overall length is 4 inches





ROBINAIR

GET READY FOR A/C SEASON!



\$179.99



**ROB48510
R134a Manifold Hose Kit**

- 90 degree manual couplers
- 72" R134a hose set (1/2" ACME x 14mm)
- Includes blow molded case
- Deluxe combination side can tap features: 1/4" MFI and 1/2" Acme ports, hinged inserts for cans of R-12, R-134a, and their respective oils
- 1 yr warranty on material and workmanship



\$349.01

**ROBLD7
LD7 Refrigerant Leak Detector**

- R134a and R1234yf compatible
- Sweep mode function to pinpoint leak source
- Automatic calibration and reset to ambient
- Patented 3 LED UV lights with 395-415 nm wave length is optimum for a/c dye fluorescence
- 3 adjustable sensitivity levels



\$109.07

**ROB60096
96" R-134A Hose Set**

- 8' long replacement hoses for R-134A manifold gauge sets
- Reaches further than standard 3' hoses and even our 6' hoses
- 1 each color-coded red, yellow and blue hose
- Super long 96" set of hoses for R134A gauges and A/C machines
- Replace your short or leaking hoses with this set of 3 color-coded hoses. These are a must have when working on heavy duty trucks, buses and reefers



\$53.52

**ROB30072
72" A/C Charging Hoses
with 1/4" Standard Fittings - Set of 3**

- (500/2500 psi) 72", 1/4" SAE internal fitting x 1/4" SAE internal
- For R12, R22, R502 Neprrene coated for flexibility and wear resistance
- With valve core depressor and a 45 degree bend on one end for convenient access to the system
- 500 PSI working pressure, 2500 PSI burst pressure
- Includes: blue, red and yellow 72" hoses

**ROB13203
1 Qt. A/C Premium High
Vacuum Pump Oil**

- Engineered to maintain maximum viscosity at high running temperatures
- Thermally stable and long lasting
- Lower moisture content than other oils
- Quart size bottle
- Works with most A/C vacuum pumps

\$7.16



\$7.74

**LIS37000
Fuel Line and Air Conditioning Disconnect Tool Set**

- Easily disconnects air conditioning lines and quick connect fuel lines
- Set of six tools which disconnect the spring lock couplings on Ford and Chrysler air conditioning line
- Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler
- The 5/16" size fits on push lock connectors found on Ford radiators and transmission lines
- Set includes: 5/16" in., 3/8" in., 1/2" in., 5/8" in., 3/4" in. and 7/8"

\$126.29



**LIS39850
Master Plus Disconnect Set**

- Master Plus Disconnect set contains the most popular disconnect tools for A/C, Fuel, Transmission, and Oil Cooler lines
- A complete set of disconnect tools that can be stored in a handy blow-molded case
- All disconnect tools are also available individually
- Lifetime warranty does not cover abuse



ROTUNDA

Prices Good Through 6/30/2021

RTTP - Always FREE Shipping!

(Minimum order of \$25)



M18 FUEL
DRIVEN TO OUTPERFORM

NEW!

\$392.00

**MLW2854-22
M18 FUEL 3/8" Drive Compact Impact Wrench
w/ Friction Ring**

- 4.8" in length provides most access in tight spaces
- The POWERSTATE brushless motor delivers up to 250 ft.-lbs. of nut-busting torque
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows
- 4-Mode DRIVE CONTROL provides greater control over output speed and power. Includes auto shut-off and bolt-removal mode
- Auto shut-off mode prevents over tightening and increases productivity by applying no more than 20 ft.-lbs. of torque



\$291.99

NEW!

**IRT2235TiMAX-R
1/2" Drive Air Impact Wrench,
Red Version**

- Power: 1,350 ft.-lbs of nut busting torque, powered by Ingersoll Rand's finely tuned twin-hammer impact mechanism
- Weight: At only 4.6 pounds, no other impact wrench on the market can match the combined power and weight of the 2235 Series
- Reliability: Backed by a two-year warranty
- One-handed forward/reverse control, feather-touch trigger, and 4-position power regulator
- Exclusive Red Color



\$157.89

NEW!

**AST1834
1/2" Nano Flex-Head Angle
Impact Wrench - 400ft/lb**

- An industry first true flex-head impact wrench and with our shortest length yet at 3.34"
- Patented design features innovative dual air intake motor and twin hammer mechanism for increased power, and adjustable tension 180° flex-head with 360° swivel handle for maximum access
- Front head exit exhaust, 400 ft. lbs. MAX torque, 280 ft. lbs. working torque



\$201.29



**KTI74394
Industrial Power Bank
and Jump Starter Kit
with 30,000 mAh**

- 30,000 mAh provides 800 amps cranking power and 1800 peak amps
- Intelligent cables feature built-in overcharge and reverse polarity protection
- Jump starts the widest variety of vehicles, including heavy-duty trucks, buses, tractors, and more
- Includes 8 computer recharging tips & a 3-in-1 pigtail phone charging cord
- 2 USB charging ports, as well as 19V, 16V, & 12V outputs and an OBDII memory saver cable
- Covered by a 1-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$136.25



**SOLE5000
Booster Pac 1500 Peak Amp 12 Volt Jump Starter**

- 1500 Peak Amps
- 400 Cranking Amps
- ES Series battery designed specifically for vehicle jump starting
- Automatic recharging
- LED battery status indicator
- Industrial Grade Hot Jaw™ clamps
- 43" #4 AWG cables
- DC outlet to power 12 Volt accessories
- 1 year limited warranty

PLEASE NOTE: All prices are subject to change at any time without notice. Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products. This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.