ON THESE GREAT PRODUCTS!



\$39.95 KTIFWLZF695 Aluminum Housing 200-750LM Flashlight FORD ONLY

Multifunction: High 750LM-Middle 350LM-Low 200LM-Strobe 750LM-SOS 750LM-OFF

- Waterproof: IP54
- · Beam distance: 82.021 fts

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- · Ergonomically designed high resistance nylon body
- · Soft grip handle and pivoting head
- · LED flashlight compatible with the 18V universal battery platform

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





#### RTTP 2021 FALL PROMOTION

PRICES GOOD THRU 12/31/2021





- · High strength forged steel
- The non-slip hex geometry prevents fastener rounding
- · Includes sizes: 8mm-36mm



\$316.85



3/4" Drive Torque Wrench, 100-600 ft-lbs.

- · Easy to read analog scale for setting torque in Foot-Pounds and Newton-Meters
- · Chrome Vanadium Construction
- Full Polish Finish

Don't see it? Give us a call 1-800-ROTUNDA (768-8632) option 4 Same Day, Free Shipping if ordered by 3:00pm EST Monday through Friday

## **CORDLESS TOOLS**







\$358.67

**MAKXVPOIRIB** 18V LXT® Lith-io Sub-Compact **Brushless Cordless** 

## 3" Polisher / 2" Sander Kit (2.0Ah) · Makita-built Brushless Motor

- eliminates carbon brushes, enabling the motor to run cooler and more efficiently for longer life
- Dual speed selector provides 0-2,800 RPM in polish mode and 0-9,500 RPM in sanding mode
- · 18V Compact LXT® Lithium-Ion 2.0Ah battery BL1820B features an integrated L.E.D. battery charge level indicator and full charge in 25 minutes or less

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### \$329.80 MAKXPG01SR1 18V LXT® Lithium-ion

Grease Gun Kit (2.0Ah) Powerful motor delivers up to 10.000 PSI of Max pressure

- Features two speed modes
- · Auto-Speed mode applies grease while varying the flow rate automatically matching the resistance of the part being greased
- · Maximum flow rate of 10 fl. oz. per minute for faster work
- · Built in twin L.E.D. lights with separate switch helps locate hard to see grease fittings in low light

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# NEV Trakita

## Ford **Ford Tools**



\$2.96 FMCFL1028

Aluminum LED 150 Lumens Flashlight

- Requires 2 "AA" batteriesRun time: 1.5 hoursSize: 1.083" x 6.004"

- 1 year warranty

NARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

## **VESSEL**®

#### VES220USBS

#### \$69.19

#### Cordless Ball Grip Screwdriver

- · Seamless Work by 2 ways usage of Power and Manual Driven Screwdriver
- Interchangeable with 1/4" Hex Power Bits or Double Ended Bits (Japanese 1/4" Hex standard is not applicable)
- Power Driven up to 17.7 lbf-in (2N.m) torque, and Withstanding up to 88.5 lbf-in (10N.m) torque by Manual Driven

#### \$59.25 VES220USB

#### Cordless Ball Grip Screwdriver

- Seamless work by 2 ways usage of Power and Manual Driven Screwdriver
- Interchangeable with 1/4" Hex Power Bits or Double Ended Bits (Japanese 1/4inch Hex standard is not applicable)
- Power Driven up to 17.7 lbf-in (2N.m) torque, and Withstanding up to 88.5 lbf-in (10N.m) torque by Manual Driven









#### CPT7406

#### \$122.46

#### 1/4" 90 Degree Angle Die Grinder

- · Burrs easily changeable with our new spindle lock system
- · Free speed of 23,000 rpm's
- 0.34 hp motor
  Swivel air inlet
  Weighs only 1.32 lbs.
- · Less heat transfer between the motor and the sleeve due to new composite housing TPR rubber grip for better handling
- High durability with no brakes or damage after 2.000 test cycles

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







#### CPT7411

CPT7405

1/4" Die Grinder

· Burrs easily changeable with

our new spindle lock system

TPR rubber grip for better handling

· Free speed of 28,000 rpm's

after 2.000 test cycles

#### \$160.54 1/4" Die Grinder

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$110.40

- · Burrs easily changeable with our new spindle lock system
- · Free speed of 22,000 rpm's
- 0.56 hp motor
  Swivel air inlet
  Weighs only 1.54 lbs.
- · Less heat transfer between the motor and the sleeve due to new composite housing
- · TPR rubber grip for better handling
- · High durability with no brakes or damage after 2,000 test cycles

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### CPT7410 1/4" Extended Die Grinder

CPT7412

## \$124.56

- · Burrs easily changeable with our new spindle lock system
- · Free speed of 27,000 rpm's
- 0.34 hp motor Built-in air regulator
- · Swivel air inlet · Weighs only 1.43 lbs.
- · Less heat transfer between the motor and the sleeve due to new composite housing
- TPR rubber grip for better handling
- · High durability with no brakes or damage after 2,000 test cycles

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- · Burrs easily changeable with our new spindle lock system
- Free speed of 22,000 rpm's
- 0.56 hp motorSwivel air inletWeighs only 2.43 lbs.
- · Less heat transfer between the motor and the sleeve due to new composite housing
- TPR rubber grip for better handling
- · High durability with no brakes or damage after 2,000 test cycles

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





## \$123.73

#### 1/4" 120 Degree Angle Die Grinder · Burrs easily changeable with

- our new spindle lock system
- · Free speed of 23,000 rpm's
- 0.34 hp motor Built-in air regulator
- · Swivel air inlet · Weighs only 1.37 lbs.
- · Less heat transfer between the motor and th sleeve due to new composite housing
- · TPR rubber grip for better handling
- · High durability with no brakes or damage af 2,000 test cycles

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



### TING TOOLS





#### 29 Piece Speedy Multi-Tip Cutter Drill Bit Set

- · Sizes 1/16" to 1/2" by 64ths
- · Bit remains sharp up to 4 times longer than conventional drill bits
- Speedy tip design eliminates need for pilot holes and prevents bit from walking on curved surfaces
- Patented cobalt-tungsten hi-molly alloy

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### **Exo-Burr External Deburrer**

- · Works on stainless steel, hardened and mild steels, brass, copper, aluminum, fiberglass, plastic and wood
- Removes burrs and uneven ridges from threaded rods, pipes and more 60 hrc cutting edges
- · Low speed (below 500 RPM)
- TIT51950 5/16 to 7/8" / (8-22mm) Threads

7/64 to 7/16" / (4-12mm) Threads





### **HAND TOOLS**



### **Ford Tools**

#### \$129.99 KTIFHT0902

7 Piece Plier Set ROTUNDA ONLY

- Sizes: 1/4", 3/8" & 1/2" 72 teeth, gear to gear type, chrome plated, C clip type cover, reversible, quick release

  Body made of high grade CrV steel, gear made of CR-MO
- steel, fully polished handle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





#### TIT42806 5 Piece 1/2" Drive Deep Impact Socket Set

- · Includes (5) 6 Point SAE Deep Sockets: 1-3/16, 1-5/16, 1-3/8, 1-7/16, 1-1/2
- · Chrome-moly
- construction for durability Laser-etched size
- markings
- · Radius corner design
- Corrosion-resistant black phosphate finish

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### TIT81483 17 Piece Impact Adapter Set Set Includes:

- · Universal Joint: 1/4 in., 3/8 in., 1/2 in.
- · Wobble Extension Bars: 1/4 in. Dr.- 2 in., 4 in., 6 in. 3/8 in. Dr.- 3 in., 6 in., 10 in. 1/2 in. Dr.- 3 in., 5 in., 10 in.
- · Adapters: 1/4 in. F x 3/8 in. M 3/8 in. F x 1/4 in. M 3/8 in. F x 1/2 in. M 1/2 in. F x 3/8 in. M 1/2 in. F x 3/4 in. Drive



#### TIT11981

#### \$77.61

#### High Capacity Hydraulic Crimper

- · Power-coated steel construction
- · Non-slip handle
- · On/off Retractor knob
- · Powerful hydraulic action delivers 70kn (15,736 lbf) of force for secure crimps



#### TIT85500

#### \$8.90

- Designed to remove damaged bolts, studs, bolts, screws at-
- · Left hand spiral design
- · Spiral flute design grips deep into metal
- Sizes include: 7/64, 9/64, 19/64, 1/4, & 5/32 inch



**MAX.TORQUE** 1000 FT-LBS

#### TIT12049

### \$79.61

#### 40" Breaker Bar - 1" Drive

- · Non-Ratcheting · Maximum torque: 1000 ft./lbs.
- · Heavy duty chrome vanadium steel construction
- · Chrome plated bar and black oxide finish head to resist corrosion

## **ANGLED**

### \$12.73

#### 3 Piece Strikable Pry Bar Set

- Black powder coated finish
- · Plastic handle with strikable end handle made with Polypropylene ANSI standard
- Overall length, width and thickness: 12.4 x 1.10 x .35 in., 17.28 x 1.10 x .43 in., 25.39 x 1.10 x .43 in.

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### TIT85512

#### \$23.78

#### 2 Piece Slack Adjusting Tool and Wrench

- · Air hammer powered shockit sockets to assess, loosen, and remove frozen 02 sensors
- Non-slip self centering air hammer angled punch for limited access applications
- · Removes knock sensors on Kenworth, Cummins, International, Detroit & Volvo diesel truck engines
- · Includes low profile design for limited access and long profile design for deep recessed Ford, Toyota, and Lexus applications



#### \$15.58

#### TIT51901

#### **Lock Ring Pliers**

- Spring closure
- Features right-angle knurled tip with max opening: 1-5/32"
- · Ideal for spreading lock washers used on brakes and tempered steel, lock rings on gear and bearing shafts
- 9-inch overall length



## **GW GEARWRENCH**





#### KDT86171

#### 16 Piece Bolt Biter Nut Driver Set

- · Bi-directional design for removing or tightening damaged fasteners
- · Tapered entry easily seats on a damaged fastener
- · Dual sized sockets designed to work with both
- SAE and metric fasteners
- Torsion zone offers up to 50x longer life in high torque impact applications
- · Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength
- · High-visibility laser etched markings
- · Black oxide finish to resist corrosion
- · Minus-size sockets fit a wider range of damaged fasteners

8 Piece Bolt Biter Nut Driver Set \$38.05

Single 1/4" Drive Bolt Biter Nut Driver

KDT86180

Single 1/4" Drive 10MM Bolt Biter Nut Driver \$6.29

## CRESCENT®

#### RESCENT® Self Adjusting Pipe Wrenches

- · Self-adjusting head design instantly grips or releases, providing fast ratcheting action
- · Extended lower jaw increases access and allows for quick pipe grip in confined spaces
- · Slim profile head design allows better access to tight areas





#### KDTCPW12

### CRESCENT® 12" Self Adjusting Pipe Wrench

· Black oxide finish wipes clean easily and resists rust or corrosion





#### KDTCPW12S

#### CRESCENT® 12" Self Adjusting Steel Handle Pipe Wrench

- · Unique angled tooth configuration grips tighter
- · 20% wider jaw for improved gripping power



**MUST BE USED WITH** ALL SHOCKIT KITS FOR **MAXIMUM PERFORMANCE** AND WARRANTY COVERAGE



#### LTILT1910PK

## \$122.58

#### Shockit Punch Kit

- Offset design for greater accessNon-turning slotsLifetime Warranty
- · Kit includes: Long Punch (22"); Standard Punch (11"); and Short Punch (5.5")

#### Air Hammer Powered Crows Foot Sets for Easy Access

- · Uses the force and vibration of an air hammer
- · Interlocking design keeps punch from slipping off socket
- · 30% more steel, 30% stronger · Lifetime warranty
- · LTILT1910PK Punch Kit and Individual Punches sold separately

#### Heavy Duty Industrial Shockit Crows Foot Sets

- · Loosens hydraulic fittings on tractors, forklifts and heavy equipment
- · Fits into small spaces between hyudraulic lines





LTILT1900

LTILT1910

#### \$104.87 LTILT1900 - 10 Piece SAE

• Set includes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" and 1-5/16"

## LTILT1910 - 10 Piece Metric \$104.87

· Set includes: 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, and 24mm

#### Heavy Duty Automotive / Hydraulic Shockit Line Wrench Sets

- · Loosens fittings on steering, brake, AC & fuel systems
- · Loosens the most difficult steering neck fittings





LTILT1920

LTILT1930

#### LTILT1920 - 13 Piece SAE

• Set includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"

#### LTILT1930 - 12 Piece Metric

#### \$88,48

\$95.06

· Set includes: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, and 17mm

### SPECIALTY TOOLS



\$117.98

Shockit Socket 02 Sensor Removal Kit

- Works when ratchets, wrenches and sockets don't fit
  Air hammer powered shockit sockets to access, loosen,
- and remove frozen and obstructed 02 sensors
  Non-slip self centering air hammer angled punch for limited access applications
- Removes knock sensors on Kenworth, Cummins, International, Detroit & Volvo diesel truck engines
- Includes low profile design for limited access and long profile design for deep recessed Ford, Toyota, and Lexus applications
- Kit includes: LTILT1910P Standard 11" Punch, LTILT994-1 – 22mm Short Socket, LTILT994-2 – 22mm Deep Socket and LTILT994-3 – 18mm Thread Chaser
- Lifetime Warranty



#### \$58.99

#### Radiator Rocket Coil & Line Cleaner

- · Runs on air power
- · Clean cooling coils for radiators, trans lines, oil and fuel lines
- · Ideal for trailer truck, dump truck, earth moving and tractor vehicles
- Can be configured in 3 foot, 2 foot or 1 foot lengths eliminating need for vehicle jacks or lifts to access buried coils







#### 5 YEAR WARRANTY



## MIZTT-4S-MT \$19.72 Mammoth Heavy Duty Windshield Suction Mount with Navigator Tablet/GPS mount

- · Adjustable to hold devices up to 13"
- Ratcheting pressure lock system with 4" extra thick suction cup
- · 180 degree rotating function
- Flexible adjustable padded arms for secure grip



## MIZTT-4S-MAM Mammoth Heavy Duty Smartphone Windshield Mount with Claw

- Ratcheting pressure lock suction won't fail under heavy vibration or high temperatures
- · 360 degree rotating holder
- Expandable to fit all size phones with protective cases







· Output: 5V 4A (max.)

· Dual USB ports

· Includes Heavy-Duty Power cord/CLA

### **SHOP TOOLS**



#### \$137.09

LDS1010242 ShopSol Heavy Duty Creeper, Adjustable Head

- · 3 position headrest
- Frame is 18 in wide and 44 in long designed with a 1 in diameter envelope welded steel frame tube
- · Upholstered vinyl fabric designed with 2 inch thick foam bed including pillow headrest
- · Includes six industrial non-marking oil resistant casters for rugged uneven surfaces designed for 1.5 in ground clearance





#### \$111.91 LDS1010480

#### ShopSol Interior Car Creeper

- · Height adjustment mechanism with user friendly latch system. 16.5" to 25.25" height adjustment for cars, SUV's and pickups
- · Heavy-duty plywood insert designed in the bed
- Removable kneeling pad to protect your knees while working in the car
- · Legs fold away for convenient storage



#### \$124.61 LDS1010722 ShopSol Stool Creeper with Polyurethane Seat

- · 1" diameter welded steel frame
- Polyurethane seat that resist tears, punctures and moisture easy to clean
- · 3" industrial casters
- · Seat Height = 17"



## **COOLING SYSTEM TOOLS**

\$44.33

#### 3/16" Double Flaring Tool · For use with creating a double

- flare on steel, nickel and copper tubing
- · Compact design allows for on vehicle use or remove handle to mount in bench vise
- · Comes with flaring tool, double ended OP1/OP2 punch, die lubricant and positioning bolt

## **KNIVES**



A WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**PRICES GOOD THRU 12/31/2021** RTTP - Always FREE Shipping! (Minimum order of \$25)



#### KTIXD5532 **Dual Pad Wireless** Inductive Charging Base

- · Built-in magnetic base, can be mounted vertically or horizontally
- · Output: 5V, 1A each charging pad
- · Includes power bank USB output port
- · Includes: 1 piece C type USB cable
- · 1 piece AC adaptor (5V 2A)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



# OLUTIONS AT ITS BES





\$499.99 KTIFRP0003

**26 in. 7-Drawer Rolling Tool Cabinet** • Overall Size: 26.4"x 22"x 40"

- Tubing handle; Tubular locking system
  Ball bearing slide. Casters load rated 250 lbs. each
- · Side tray: With 3mm EVA drawer pad

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PLEASE NOTE: All prices are subject to change at any time without notice. Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products. This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.