ON THESE GREAT PRODUCTS!





\$622.99 KTIFRP0003

26 in. 7-Drawer Rolling Tool Cabinet
Overall Size: 26.4"x 22"x 40"
Tubing handle; Tubular locking system

- · Ball bearing slide. Casters load rated 250 lbs. each
- · Side tray; With 3mm EVA drawer pad

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



RTTP 2021 SUMMER PROMOTION

PRICES GOOD THRU 9/30/2021







Don't see it? Give us a call 1-800-ROTUNDA (768-8632) option 4 Same Day, Free Shipping if ordered by 3:00pm EST Monday through Friday

CORDLESS TOOLS





\$1,020.55

MLW2867-22

M18 FUEL™ 1" High Torque Impact Wrench Kit

- Delivers up to 1,800 ft-lbs. Nut-Busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power





\$297.39

MLW2409-22 M12 FUEL™ Low Speed Tire Buffer Kit

· Includes: (1) M12™ REDLITHIUM™ CP2.0 Battery, (1) M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack, (1) M12™ Lithium-ion Battery Charger, (1) Outlet Charge Advance and (1) Corputing Capacity

(1) Quick Change Adapter and (1) Carrying Case



\$267.14

MAPHEL

MLW2566-22 M12 FUEL™ 1/4"

Hi-Speed Ratchet Kit

- Delivers up to 450 RPM
- 0.75" head profile
- · Up to 35 ft-lbs. of max torque
- · LED light



SHOP TOOLS

\$143.41 WIL11128BH Wilton B.A.S.H Special Edition 6.5 in. Utility Bench Vise and FREE 4 lb. Sledge Hammer Combo

Features 180 swivel base with lockdown for quick and easy positioning, heavy-duty castings with a 30,000 PSI iron body, built-in pipe jaws and a large anvil work surface
 Vise Specifications: Jaw Width - 6 1/2", Max Opening - 5 1/2",

Throat Depth - 3 13/16", Pipe Capacity - 1/8 - 3"
• FREE B.A.S.H Sledge Hammer has a 4lb head with a 12" handle and trademark B.A.S.H Green Hi-Vis drop forged steel head (46 HRC)

LIFTING

SUNEX®

\$679.76

SUN7793B

1,000 lb. Telescoping Transmission Jack

- Low height: 35.5"; High height: 79.5"
- Saddle tilt forward:
 53 degrees saddle tilt backward:
 30 degrees saddle tilt side to side:
 10-30 degrees
- Base size: 35" x 31.25







\$64.89



Ford Tools

KTIFHT0903

72 Tooth 3 Piece Standard Ratchet Set ROTUNDA ONLY

- Sizes: 1/4", 3/8" & 1/2" 72 teeth, gear to gear type, chrome plated, C clip type cover, reversible, quick release
- · Body made of high grade CrV steel, gear made of CR-MO steel, fully polished handle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX[®]





SUN9606MA 6 Piece Metric Raised Panel Combination Wrench Set

- · Box end is offset by 15 degrees to provide clearance for your fingers
- · Radius Corners designed to grip the flat sides of the fastener head instead of the corner to prevent round-off
- · Set includes: 25mm, 26mm, 27mm, 29mm, 30mm and 32mm



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$84.13

SUN9919MA 8 Piece Metric Full Polished V-Groove Combination Wrench Set

- · Radius V-Groove design creates an anti-slip and prevents rounding of the fastener
- · Box end is offset by 15 degrees to provide clearance for your fingers
- · Set Includes: 25mm-32mm Full Polish Combination Wrenches



VESSEL.



VES220W3 **Ball Grip**



- double ended bits (+1, +2, +3, -6, P72, P73) · Interchangeable with any 1/4" Hex bit
- longer than 2 inches overall length
- Magnetized Tip

VESIB11P02U Pop Up Case

\$18.72

- · 10 piece 1 3/16"long IMPACT BALL Torsion Bits & 1 piece 2" long Bit Holder in POP-UP case
- · Includes PH1, PH2, PH3, SL6, SQ2, T10, T15, T20, T25, T30 & 1/4" Hex Bit Holder with C-Ring retainer
- Highest Hardness 62HRC
- Magnetized Tip









KTI20852 52 Piece Master Torx Socket Set

· Professional dark grey phosphate finish Includes:

- Torx Bit Sockets: 8PC 1/4" DR: T6, 8, 10, 15, 20, 25, 27, 30. 5PC 3/8" DR: T40, 45, 47, 50, 55. 2PC 1/2" DR: 60,70
- · Torx Plus Bit Sockets: 7PC 1/4" DR.: 8IP, 10IP, 15IP, 20IP, 25IP, 27IP, 30IP. 4PC 31PC 1/2" DR.: 60IP/8" DR.: 40IP, 45IP, 50IP, 55IP. 1PC 1/2" DR.: 60IP
- · Torx External Sockets: 5PC 1/4" DR.: E4, 5, 6, 7, 8. 4PC 3/8" DR.: E10, 12, 14, 16. 4PC 1/2" DR.: E18, 20, 22, 24
- · Torx Tamper-Resistant Bit Sockets: 7PC 1/4" DR.: T8H, T10H, T15H, T20H, T25H, T27H, T30H. 4PC 3/8" DR.: T40H, T45H, T50H, T55H. 1PC 1/2" DR.: T60H

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Made of STAINLESS STEEL

S170.60

BTA000420391 42INOX/S11-Series Combination Wrench Set

- · AISI 420 stainless steel
- Sizes: 6, 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
- 11 Pieces



\$50,32

BTA000961455 6 Piece 2.5 to 8 mm Ball End Hex Key Set

• Includes: (6) 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm 96BPINOX/ B6-Series™ Ball End Hex Keys

\$62.01



· Includes SAE sizes: 5/64", 3/32" 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"



NEW

CUTTING TOOLS



NEW



S223.65 KNK29KK10

29-Piece Mechanics Length Step Point Drill Bit Set 1/16"-1/2" by 64ths

- · Great for hard steel, brass, sheet metal and acrylics
- · Split point step design starts on contact, self-centers and eliminates the need for a center punch



KNKUTLUBE **KnKut Cutting Fluid** 4 oz Spout Top Bottle

- Extends Tool Life
- · Keeps Heat Down
- · For All Metals
- · For Precision Finish



KNK10KK7-LHSQX 10 Piece Left Hand Screw Machine Drill & Square Extractor Set

- 10 piece set contains 5 piece drill bits and 5 piece extractors
- Drill Bits: 1/8", 3/16", 1/4", 5/16", 3/8"



PUNCHES & CHISELS



MAY31956

S13.15

Pneumatic Double-Cut Body Ripper

MAY31968 Pneumatic Tailpipe Cutoff

\$15.80

- · Fully hardened and tempered shock-resistant steel
- Used for body, chassis, and exhaust applications
- · Features a standard .401 shank
- · Black oxide finish for additional rust prevention

FLUID & GREASE





\$16.34 DOWJDI-SP1

15" Oil Drain Splash Pads (2 pack) JDI-SP1

- · Tight weaves eliminates splatter or splashing
- · Use with any type of fluid including engine oil, transmission fluid, coolant, brake fluid and other automotive solvents
- · Made of long-lasting, durable, PVC string material
- · Heavy-duty 0.78" thickness

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ECIALTY TOOLS



Pro-Xnife 3 Piece Kit

- · 2 component handles
- · Easier to use in tight areas
- · Use on coolant hoses, wire harnesses, carpet hard to reach zip ties, cuts plastic, door panels etc.

Also available separately:



\$26.75

MLK268420

- **Quick-Lock Razor Scraper** · Quick-lock safety release mechanism
- · Has a non-slip 2 component handle
- · Includes 5 steel blades, and 5 plastic blades



Adjusting Tool for Spraying Nozzle

- · Telescopic, magnetic pickup- 650mm
- · For adjusting the spraying nozzle
- · The extended telescope shows the direction - can be used as a pickup tool





MLK267400

- Window Moulding Remover · Beveled edge- easy to use
- · Spreads force over total width so there is no damage to moulding or trim



 $\mathbb{N} = \mathbb{N}$

CLAMPS & PULLERS

Cal-Van

CAL20200

\$71.99



Bearing Cup Installer

- · 5-5/8" spread
- · Internal magnetic end to hold bearing cup
- · Install two bearing cups in one procedure on virtually all light and medium-duty u-joints



Special Order: may take additional time to receive



\$57.23 CAL38000

Ratcheting Harmonic Balancer Puller

- · Ratcheting function holds jaws in place
- · Ratcheting Yoke has a 7 ton Pulling capacity
- · Three ratcheting legs with puller feet eliminate the need for bolts

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NEW

TOOL STORAGE



WELDING



- Super lightweight and ergonomically balanced to reduce stress and fatigue
- True Color Auto Darkening Filter meets 1/1/1/1 Optical Clarity Standard, the highest in the industry
- Includes patented 370 Speed Dial ratcheting headgear system

S94.70 JCK47100 SH10 Weld Helmet, 6 Feet Under

· 3/10 Shade range with switching speeds of 1/25,000 second

· Powered by solar technology and two CR2450 replacement batteries

\$138.42 JCK47101

Variable Weld Helmet, Hellfire

- · 3/5-13 Shade range with a switching speeds of 1/20,000 second
- · Includes an external grind function
- · Powered by solar technology and two CR2032 replacement batteries

\$72.85 JCK47102

SH10 Weld Helmet, Gray Matter

· 3/10 Shade range with switching speeds of 1/30,000 second

 Powered by solar technology and a CR2450 non-replaceable battery

\$155.21 JCK47103

Variable Weld Helmet, Freedom

- 4/5-13 Shade range with switching speeds of 1/25,000 second
- · Powered by solar technology and two CR2450 replacement batteries

\$101.99 JCK47104

SH10 Weld Helmet, Reapers 'n' Roses

- · 3/10 Shade range with switching speeds of 1/20,000 second
- Powered by solar technology and two CR2032 replacement batteries

\$116.56 JCK47105

Variable Weld Helmet, Bead Demon · 3/9-13 Shade range with switching

- speeds of 1/20,000 second
- · Includes an external grind function
- · Powered by solar technology and a CR2450 replacement battery






RE & WHEEL



approximately 88 lbs.

KTI89001 Digital Air Inflator

- · 2 to 150 psi with 0.1 PSI resolution
- accurate to within ±1% + 0.5 psi at 100 psi and ±2% + 0.5 psi at 150 psi







FIC2664

103 Piece R-1234yf Valve Core Service Port and Service Port Cap Assortment

· Contains 5 Different Valve Cores and 5 Different Service Caps

NEW

LIGHTING





with 180° Rotating, Magnetic Base · 1400/700/350 lumen flood light and

400 lumen spotlight

• Runtime (approx.): 7, 4.5 and 3 hours. Spot Light (approx.): 6.5 hours

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$66.63

KTIXD6174 Foldable / Swivel Work Light

- Rechargeable, COB
- · 180° foldable and 270° swivel/twist with top light
- · High/Low power, max brightness, 600/300 lumens
- Super strong magnetic base
- · Runtime (approx.): 4.0 to 8.0 hours

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



\$50,20

KTIXD5555

Rechargeable 800 Lumen Headlamp/Flashlight

- · 2000 Lumen Strobe / 800 Continuous Lumen Light
- · Cree XHP5.02. 20 Watts LED
- · Runtime (approx.): 5.5 hours



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$48.93

Neck Work Light, Rechargeable Flexible, 300/150 Lumens, Dimmable

- · Run time of 3 to 6 hours
- · Magnetic back enables mounting onto metal surfaces
- · Includes: Type C USB cable





WATER

\$33.15

KTIXD6301

Rechargeable UV Pen Light

- · 3 Watts UV, 365-370 nm for leak detection
- · 350 MAH li-ion battery
- · Pocket clip
- · Runtime (approx.): 50 minutes · Only 4" long






WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$66.22

KTIXD6132

Flashlight with Power Bank Function

- · 1,000 lumens featuring a XM-L2 Cree white light
- · Powerbank function to recharge **USB** devices
- · Direct Micro USB Recharge
- Brightness: 1000/400/40







\$133.09 KTIXD5044C

Underhood Light - Telescoping / Low Profile / 1,400 Lumens

- · Lightweight aluminum weighs only 3.3 lbs.
- · Low profile design engages less underhood space
- Full/Half Power. Runtime (approx.): 3.5 to 6.5 hours.
- · Includes one AC charger (5V, 2A)





KTIXD5039C

\$133.37

3-in-1 Underhood Light Telescoping / Folding / 1,500 Lumens

- · Two detachable work lights (750 lumens each)
- · Light can be folded to stand on floor as a flood light
- · Runtime (approx): 3.0 to 6.0 hours
- · Includes two AC chargers (5V, 1A)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIGHTING



\$19.90

KTI73365 IP65 Water Resistant

- **260 Lumens Focusing Headlamp** Motion sensor and red bar sidelights
- · High: 260 lumens; Low: 100 lumens
- · Runtime (approx.): 3 to 9 hours
- Pivoting dimmer with focus zoom provides spot or floodlight capability

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- · High powered UV-C LED with working zone indicators
- Kills 99% of harmful germs and bacteria in two seconds, within 1-1/4"
- · 2000 mAh lithium ion battery
- · Run Time (approx.): 1.5 hours

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NEW

\$74.28

NEW

SOLLNCBAR

ARM-BAR Magnetic Underhood Light Bar Mount

- Aluminum chassis
- · Steel center strip enables magnetic object to mount to it
- Expanding arms rotate 360° for ideal positioning
- Fully detachable, can be separated into two bars ends

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

A/C & COOLING SYSTEM TOOLS

LEAK DETECTION

TRACER PRODUCTS A Division of Spectronics Corporation

TRATPOPUVMR \$142.85




 Powerful beam, technicians can spot hidden and hard-to-find micro leaks

 Strobe light feature helps technicians contrast dye fluorescence from the surrounding area more easily





TRATPOPUVM \$114.



NEW

- Find all system leaks, avoid false-positive repairs, and reduce customer complaints
- Strobe light feature helps technicians contrast dye fluorescence from the surrounding area more easily

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







\$104.42

FJC4974 R-1234yf UV Dye Kit with Work Light

Contain everything necessary to perform leak detection on all air conditioning systems, engine oil systems, fuel systems, or transmission and coolant systems

\$235.36

\$52.50

Pressure Test Kit

Radiator / Cooling System

· Diagnoses internal leaks caused by a blown

· Contains adapters to test the cooling system and

caps of most US and Asian manufactured cars

head gasket or damaged block or head • Test radiator and coolant bottle caps

· Pinpoints external leaks

MITMV4560

MSC43301-A

Radiator Pressure Test Kit 27 pieces

- Detects and exposes external system leaks
- Detects internal engine leaks due to blown gaskets or cracked block
- · Vacuum type cooling system
- Purge and refill for quick change of coolant
- · Test Range: 0 35 psi



PRICES GOOD THRU 9/30/2021 RTTP - Always FREE Shipping! (Minimum order of \$25)





Ford Tools

\$22.67

KTIFWLZF695 Aluminum Housing 200-750LM Flashlight FORD ONLY

- Multifunction: High 750LM-Middle 350LM-Low 200LM-Strobe 750LM-SOS 750LM-OFF
- · Waterproof: IP54
- · Beam distance: 82.021 fts
- Runtime:1-1/2 hrs High/3 hrs Middle/4 hrs Low/4-6 hrs Strobe/6-8 hrs SOS

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HEIGHT ADJUSTMENT UP TO 76"



\$144.73

KTI77730

30" Non-Oscillating Pedestal Industrial Fan

- 1/2 HP energy efficient motor
- · 3-Speed motor
- 3-blade aluminum design provides even airflow for quiet operation
- · Height adjustment up to 76"
- · 120v/60Hz/1.4 Amps

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





\$122.04

KTIXDBT60W XD POWER 60W Speaker

- Audio driver: 2" diameter x 4 tweeters, 3" Subwoofer
- 8 bass radiators with massively loud volume
- 3EQ modes provide 3 types of audio effect
- Playtime 11 hours at 50% volume
- Built-in microphone. Siri voice assistant

▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW



Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.